


DIMENSIONAL VIEWS

Double Cab (4WD)











Double Cab (2WD)











Single Cab (2WD)









* With license garnish ** Measured from bottom of bed

All measurements in millimeters



MiEV Facebook Page

This facebook page introduces latest MiEV (Mitsubishi innovative Electric Vehicle) activities, hot news, and voice from fans and owners. The MiEV supporters mark represents the fans

who support and participate in MiEV activities, so join the club to be a part of the fun and excitement. Check us out on facebook on the right.















A Stylish Show of Strength. MITSUBISHI L200

Feel the power. Feel the handling.

Feel a new level of comfort in an entirely new class of vehicle. The all new MITSUBISHI L200, it's all truck and all car and it changes the way you think about getting from one place to another.





Outstanding aerodynamic performance

The new L200 is streamlined based on advanced computer simulation to slip through the wind with a class-leading 0.42* Cd that lowers noise and raises fuel efficiency while enhancing both acceleration and handling stability.


* According to internal test results.

4WD GLX Double Cab shown with optional equipment / Fabric interior 4WD GLX Double Cab shown with optional equipment / Fabric interior

Wide Open Spaces

Travel comfortably in the L200 Double Cab, which offers class-leading space and leg-stretching relaxation. Enhanced high-quality seating, including newly designed front seats, raises driving pleasure for all occupants. Strategically placed sound insulation and vibration damping material further contribute to a quiet, comfortable ride. Everything you need, including convenient storage features, is here to support a pleasurable journey.


Class-leading cabin length



Luxurious new front seats



Quieter, more relaxing ride



- 1 Instrument panel sound absorbing material
- 2 Floor damping material
- 3 Dashboard and fender noise insulation
- 4 Backbone sound absorbing material
- * Equipment may vary by model.

Dynamic Power

Power is supplied in abundance whenever you need it, from your choice of one gasoline and two diesel engines, including a 2.5-liter powerhouse that generates an impressive 100kW/4000rpm. Whatever the driving conditions, the L200 has what it takes to accomplish your mission.



Power-boosting features give L200 DI-D engines incredible performance

2.5-liter 16-valve Intercooled Turbocharged DOHC Common Rail DI-D

Two turbocharged diesel engines, including one with intercooler, deliver the spirited response you need for serious work and play. Their common rail direct injection system optimizes fuel dispersion for peak efficiency, low CO₂ emissions and power on demand.

324_{N·m}




DOHC 16-valve layout

Dual overhead camshafts and 16 cylinder valves deliver extremely high performance by optimizing fuel intake, combustion and exhaust. Precisely balanced roller rocker arms and scissor gears also fine-tune valve timing to achieve more complete combustion.




Turbocharger

A turbocharger forces more air into the combustion chambers to significantly boost power. An intercooler optimally cools the air to further improve combustion efficiency.




2.5-liter Turbocharged DOHC DI-D (81kW/4000rpm)



2.5-liter Intercooled Turbocharged DOHC DI-D (100kW/4000rpm)

2.4-liter SOHC 16-valve MPI

Whether hauling heavy loads or opening up on the highway, the 2.4-liter SOHC engine supplies more than ample horsepower and torque with low noise and vibration.



2.4-liter SOHC 16-valve MPI (97kW/5250rpm)

5-speed manual transmission

The 5-speed manual transmission offers a feeling of total control that many enthusiasts demand. Its solid stick shift provides smooth, sure operation so you can confidently and intuitively coax out maximum performance.







Robust Handling

The L200 is built for maximum stability and traction. Its rugged frame contributes to solid handling and its body is aerodynamically contoured for stable highway performance. Reliable 4WD traction combines with an advanced suspension to keep you in touch with surface conditions so you stay in firm control.

EASY SELECT 4WD

Switch from smooth 2WD (2H) highway performance to rugged 4WD (4H) traction while driving at up to 100km/h. Transfer torque to all four wheels with a flick of the transfer shift lever in the 4H mode or by entering the 4L mode, which provides lower gear ratios and higher torque for slower speed driving in rough terrain.

Note: The vehicle must be stopped while switching between 4H and 4L.

2H (2WD high range



The choice for normal road situations. Only the rear wheels receive power, providing a smooth, quiet, fuel-efficient ride.

4H (4WD high range)



For rougher roads or hazardous conditions. All wheels receive torque, giving better traction to keep you out of trouble.

4L (4WD low range)



The best choice for sure off-road handling. Four-wheel performance shifts into low gear for maximum traction through mud or sand.

5.7 meters

Class-leading 5.7m turning radius The turning radius is surprisingly small for a vehicle of this size, making the L200

especially easy to park and maneuver.

* 2WD: 5.7 meters, 4WD: 5.9 meters

Quick, responsive handling

Steering is sporty and responsive, requiring less effort to turn.

All-terrain confidence

Because challenges come in all shapes and sizes, the L200 is designed to climb up, over, around and through the toughest terrain.







Drivability is improved, both on and off the road. Forward visibility has also been improved through refinements to the hood and wipers. Indicated angles are valid when 205R16C tires are mounted.



Room to spare

The stylish L200 never forgets its true calling. When you're hard at work, it provides all the space and tough reliability you need. The spacious cargo bed is also solidly reinforced to offer outstanding durability.





- *1: Measured from top edges
 *2: Measured from bottom of bed





Durable design



In front, a more rigid engine compartment and double striker in the hood safety mechanism contribute to enhanced durability and safety. In the cargo bed, the rear corners are specially reinforced to disperse the force of impact when cargo shifts and prevent damage such as cracks in the side panels.

Double wishbone suspension


The rugged suspension features double wishbones with coil springs and a stabilizer bar in front, plus no-nonsense above-the-axle leaf springs in the rear for outstanding traction. The ride is stable and comfortable for all occupants. Note: Specification may vary by model.











Hood safety mechanism with double striker



Cargo bed inner hook x 6

Multipurpose cargo bed outer hooks

Convenience





Tilt steering

Multi-information display





Manual air conditioner

Floor console with lid





The keyless entry system lets you lock or unlock the doors with the press of a keyless entry key. Two keys are provided for the convenience of couples.

Keyless entry system

ETACS (Electronic Time and Alarm Control System)



Power window timer

Even after shutting off the engine, the power windows can be opened or closed for 30 seconds before opening the door.



Headlamp auto off function

After switching off the ignition and stepping out of the car, the headlamps automatically turn off to help conserve battery power.



Auto door relock system

Within 30 seconds of pressing the unlock button from outside the car, this system will automatically relock all the doors if none have been opened.



Auto speed adjustable wipers


In the Timing mode, the window wipers operate faster at higher vehicle speeds.


Safety

RISE body


Collision safety performance is significantly enhanced by Mitsubishi's RISE (Reinforced Impact Safety Evolution) body, which efficiently absorbs energy and maintains high cabin integrity in the event of a collision.

Rigid lightweight body












Pretensioners

Pretensioners on the front seatbelts automatically tighten the belts in the event of a frontal collision to help restrain the driver and front passenger and reduce the force of impact when the front airbags are deployed.

(Optional for driver and front passenger)

Driver and passenger airbag system

In the event of a collision, front SRS airbags help protect you and the front passenger by absorbing the force of impact. (Optional)



ABS with EBD

The L200's ABS gives you the ability to suddenly maneuver safely around obstacles as you slow down. EBD (Electronic Brake-force Distribution) assists by applying additional force to the rear brakes as needed, enabling quicker stops even when carrying passengers and heavy loads.



Power windows

The driver's side window can be raised or lowered with a single touch and features an anti-trap mechanism for safety.

Double Cab GLX (4WD)

Available engines: 2.4-liter ECI-MULTI, 2.5-liter intercooled turbocharged DI-D









Double Cab GL (2WD)

Available engines: 2.4-liter ECI-MULTI, 2.5-liter turbocharged DI-D









Single Cab GL (2WD)

Available engines: 2.4-liter ECI-MULTI, 2.5-liter turbocharged DI-D









EXTERIOR COLORS



Impulse Blue Metallic (D23)



Earth Green Metallic (F27)



Sterling Silver Metallic (U25)



Grayish Brown Metallic (C06)



Red Solid (R59)



Titanium Gray Metallic (U17)



White Solid (W32)



White Pearl (W54)



Black Mica (X08)

STANDARD EQUIPMENT AND OPTIONS



Chrome grille



Chrome outer door Chrome rear gate handles handle



Chrome power door mirrors



"MITSUBISHI" decal on rear gate



Chrome rear step bumper



17 | 18

Digital quartz clock

SEAT MATERIALS AND COLORS



Fabric (light gray)

Side stripes (Double Cab)

EXTERIOR AND INTERIOR COLOR COMBINATIONS ■ Standard — Not available Grade **Double Cab** Single Cab GL Seat materials and colors Light gray fabric Impulse Blue Metallic D23 Exterior colors Earth Green Metallic Sterling Silver Metallic Grayish Brown Metallic C06 Red Solid R59 U17 Titanium Gray Metallic White Solid W32 W54 White Pearl Black Mica

Note: Colors shown may differ slightly from actual colors due to printing process. Please consult your local Mitsubishi Motors dealer/distributor for actual colors.



STANDARD & OPTIONAL EQUIPMENT

■ Standard — Not available

Madel	Dedukas		DL. O.L												
Model	Body type Drive system		Double Cab 4WD 2WD									Single Cab 2WD			
	Trim level / Grade			GLX				GL					GL		
	Transmission							5N	VΤ			02			
	Engine Model code Package option			2.5L IC T/C DI-D (ST)		2.4L MPI		T/C DI-D		2.4L MPI		2.5L T/C DI-D	2.4L MPI		
				KL3TJNUFLW Simple		NUMLW		JNJTLW		KJ4TJNJMLW		KJ3TENJTLW		ENJMLW	
				Chrome package	Simple package/ Basic package	Chrome package	Simple package/ Basic package	Basic package + Power window	Simple package/ Basic package	Basic package + Power window	Chrome package + Sport type	Simple package/ Basic package	Simple package/ Basic package	Basic package + Power windo	
Drivetrain	Drivetrain 5-speed manual transmission				Pacitago		pastage		puonago		Фронтуро	packago	pasiago	- Circi III.ido	
and chassis		2WD	_	_	_	_									
		Easy Select 4WD					_	_	-	_	-	-	_	_	
	Suspension														
	and differential	Front stabilizer					_	_	_	-	-	_	_	_	
	Brakes	LSPV (Load Sensing Proportioning Valve)	*	_	*	_	*	_	*	_	_	*	*	_	
		ABS with EBD	■ **		■ **		■ **		■ **			■ **	* **		
	Front	15-inch ventilated disc brakes	_	_	_	_									
		16-inch ventilated disc brakes					-	_	_	_	-	_	_	_	
	Rear	10-inch leading-and-trailing drum brakes	_	_	_	_									
		11.6-inch leading-and-trailing drum brakes					-	_	-	_	_	-	_	_	
	Tires and	Front & Rear: 195R15C 8PR + 15-inch steel wheels (chrome center													
	wheels	caps) Spare: 195R15C 8PR +15-inch steel wheel	-	-	-	-	•	•	•	•	•	•	•	•	
		Front & Rear: 205R16C 8PR + 16-inch steel wheels (chrome center caps) Spare: 205R16C 8PR + 16-inch steel wheel	•	•	•	•	-	-	-	-	-	-	-	_	
	Battery	55D23L	-	_			_	-				-			
		80D26L			-	_			_	_	-		_	_	
	Others	Full tool and jack set													
Exterior	Grille	Front grille: material black (type A)		-		-									
	Chrome	Front grille: chrome (type B)									_				
	Package	Chrome power door mirrors													
		Chrome outer door handles	_	•	_	•	_	_	-	_		-	-	-	
		Chrome rear gate handle													
	Bumpers	Front bumper: material black	_	_	_	_									
		Front bumper: color-keyed Under garnish: material black			-		_	_	_	_	_	_	_	_	
	Lamp	Halogen headlamp with amber upper accent and material black			_		_		_			_	_	i	
		bezel (type A) Side turn lamp on fender clear lens & amber bulb								•		•			
	Front	Front skid plate					_	_	_	_	_	_	_	_	
	Other	Floor undercover													
		Front towing hook													
		Front tie down hook													
	Glass	Laminated green windshield													
		Windshield sunshade													
		Rear window with defogger (with timer)			-										
	Sides	Front mud guards					_	_	_	_	_	_	_	_	
		Rear mud guards													
		Outer door handles: material black													
		Manually controlled door mirrors (turnover type): material black													
	Rear/Cargo	Rear body guard frame													
		Bar-type cargo bed outer hooks			-										
		Cargo bed inner hook x 6			-										
		Rear gate handle: material black									-	•	•	-	
		Gate stopper (link type)													
		Step bumper (chrome type)													
	Ornament	"L200" mark on left side													
		"DI-D" mark on right side			_	_			_	_	_		_	_	
		"COMMONRAIL" mark on right side			_	_			_	_	_		_	_	
		"MITSUBISHI" decal													
		Side stripes			-		_		_		_	_	_		
Interior	Safety	Driver's and front passenger's SRS front airbags Front 3-point ELR seatbelt with force-limiter and pretensioner	* **		* **		* **		* **			■ **	* **		
	0	(driver and passenger)					_								
	Searbei	t Front 3P seatbelt with ELR x 2 & 2P center lapbelt	_	_	_	_	•	•	•	•	_	•	•	•	
		Front 3P seatbelt with ELR x 2	•	•	-	•	_		_	_	•	-		_	
		Height-adjustable front seatbelt anchor				•			•		•	_	_	_	
	Stooring 0	Rear 3P seatbelt with ELR x 2 & 2P center lapbelt			_	_				-	_				
	Steering & Shift knob	Power steering Tilt adjustment	•			•					•	:			
		Tilt adjustment	■ ■**		_	•		_	_				**		
		3-spoke urethane steering wheel (with airbag)	■** ■		■** ■		■** ■		■** ■	- :	•	■** ■	**		
		Urethane transmission shift knob Urethane transfer shift knob	_		- :	_	•		-		•			•	
			- :		- :	•	-	-	-	-	-	-	-	_	
		Lever-type parking brake								- : -		-:-	•		
		Dual hom	-	•	•	•	•		•	•	•	•	•	•	

STANDARD & OPTIONAL EQUIPMENT

■ Standard — Not available

Body type						Double Cab						Single Cab	
Drive system	1	4WD 2WD						Single Cab 2WD					
Trim level / G			GLX					GL			GL 2WD		
Transmission	n						5M	/T					
Engine			C DI-D (ST)		_MPI	2.5L T	T/C DI-D		2.4L MPI		2.5L T/C DI-D		IL MPI
Model code		KL3TJNUFLW KL4TJ		NUMLW	KJ3T.	JNJTLW		KJ4TJNJMLW		KJ3TENJTLW	KJ4TE	ENJMLW	
Package opt	Package option			Simple package/ Basic package	Chrome package	Simple package/ Basic package	Basic package + Power window	Simple package/ Basic package	Basic package + Power window	Chrome package + Sport type	Simple package/ Basic package	Simple package/ Basic package	Basic package + Power wind
Carpet	Vinyl	package —	-	_	_			•			•		
	Needle punch with heel pad					_	_	_	_	_		_	-
Seats Materia	Fabric seats: light gray												
	Front split low back bench seat	_	_	_	_					_			
	Front seat head restraint x 2						-				-		
	Manual sliding and reclining adjuster (driver's side)		-	-	-	-	-			-	-		
	Convenience hook (driver's side)												
Senarat	e Front sport type separate seats	-	-	-	-	-	-	-	-	-			
seat package	Manual sliding and reclining adjuster (passenger's side) Convenience hook (passenger's side) Front 3P seatbelt with ELR x 2					-	-	-	-		-	-	-
	Needle punch floor carpets with heel pad												
Rear	Rear low back bench seat	•	•	•	•	•	•	•	•	•	_	-	_
	Rear seat head restraint x 2		-	-	-	-	-		-	-	_	-	_
Instrument Panel	Instrument center panel: material black		-	-	-	•	•	-		•	•	•	-
I dilci	Instrument panel air outlet surrounding: material black		-	-	-								
Roof	Assist grip for front seat x1 (passenger's side)			-							•		
	Assist grip for rear seat x 2										-	-	-
	Front pillar assist grip			-	-	-	-	-	-	-	-	-	_
	Coat hanger x 1 (driver's rear side)			-	-						-	-	_
	Driver's side sunvisor with ticket holder												
	Passenger's side sunvisor												
	Day & night rear view mirror												
	Rear room lamp												
Door	Power window: auto down (driver's side)	_	_	_	_	_	_	_	-	_	_	_	+
5001	Power window switch panels: interior color		-	-	-	-		-			-	-	
	Inner door handles: material color		-	-	-	-	-			-	_		
Console	Ashtray on instrument panel		•	•	•	- :				•			
Contact	Floor console with lid - Cup holder for front seats - Can type ashtray - 12V accessory socket in console box					-	-	_	-		-	_	_
	- Console trim: material black												
	Cigarette lighter												
	Glovebox with key cylinder and illumination												
	Digital quartz clock												
Meter	Combination meter cluster with material black garnish (Speed & Tachometer)	-	_	_	_		•	•		•		•	
	Combination meter cluster with silver painted garnish (Speed & Tachometer)		•	•	•	-	-	-	-	-	-	-	-
	Multi information display: amber type		-	-	-								-
	Rheostat		-	-	-								-
Functional	Center door locking system					-		-			-	-	
	Child-proof rear door locks			-	-						-	-	-
	Master key x 2			-									
	Keyless entry system with protector x 2	-	-	-	-	-	-	-	-		-	-	_
	Front variable intermittent windshield wipers with washers												
	Seatbelt warning lamp (driver's side) & buzzer / Speed warning indicator/Ignition key reminder	•	•	•	•	•	•	•	•	•	•	•	•
Ventilation	Manual air conditioning		•	•	•	•	•	•	•	•	•	•	
	Air conditioning with extra cooling capacity		•	-	-	•	•	-	-	-	•	•	
	Air filter		•	-	-	•	•	-	-	-	•	-	
	Windshield & side defroster	•	•	-	-	•	•	-	-	-	•	-	
Audio	Audio less (Instrument panel accessory box (1DIN))		•			-	•	•		-	•	-	
	2 speakers	-	-	-	-	-		-	-	-	-		
	4 speakers		•	-	-	•	-	-	-	-	-	-	-
	Pillar antenna		•	-	-	•	•	-	-	-	•	-	
Others	Fire extinguisher								-				
	First aid kit					-				-			
	Emergency triangle												

^{*} Simple package only ** Basic package only

TECHNICAL SPECIFICATIONS

Model	Body type		Doubl	Single Cab						
	Drive system	4	WD		WD	2WD				
	Engine	2.5 IC/TC DI-D	2.4 MPI	2.5 TC DI-D	2.4 MPI	2.5 TC DI-D	2.4 MPI			
	Price class		GLX		GL		GL			
	Model code	KL3TJNUFLW	KL4TJNUMLW	KJ3TJNJTLW	KJ4TJNJMLW	KJ3TENJTLW	KJ4TENJMLW			
Dimensions and weights										
Overall length	mm		52	200		5	5075			
Overall width	mm		17	785		1785				
Overall height	mm	1	775	1	655	1655				
Wheelbase	mm		30	000		3000				
Ground clearance	mm		20	00		200				
Cargo floor height	mm	8	345	7	715	710	710			
Curb weight	kg	1805	1685	1605	1510	1505	1410			
Gross vehicle weight	kg	2850	2700	2570	2525	2	2570			
Seating capacity	persons		5		6	3				
Performance										
Max. speed*	km/h	167	169	152	169	152	169			
Min. turning radius	m		5.9	5.7		5.7				
Engine										
Type (code)		2.5-liter 16-valve inline-4 intercooled turbocharged DOHC diesel (4D56)	2.4-liter 16-valve inline-4 SOHC petrol (4G64)	2.5-liter 16-valve inline-4 turbocharged DOHC diesel (4D56)	2.4-liter 16-valve inline-4 SOHC petrol (4G64)	2.5-liter 16-valve inline-4 turbocharged DOHC diesel (4D56)	2.4-liter 16-valve inline-4 SOHC petrol (4G64)			
Displacement	cc	2,477	2,351	2,477	2,351	2,477	2,351			
Max. output (EEC net)	kW (PS)/rpm	100 (136)/4,000	97 (132)/5,250	81 (110)/4,000	97 (132)/5,250	81 (110)/4,000	97 (132)/5,250			
Max. torque (EEC net)	N·m (kg-m)/rpm	324 (33.1)/2,000	202 (20.6)/4,000	200 (20.4)/1,500-3,500	202 (20.6)/4,000	200 (20.4)/1,500-3,500	202 (20.6)/4,000			
Fuel System										
Fuel supply system		Electronic Common Rail Direct Injection	ECI-MULTI (Electronic Controlled Injection-Multi Point Injection)	Electronic Common Rail Direct Injection	ECI-MULTI (Electronic Controlled Injection-Multi Point Injection)	Electronic Common Rail Direct Injection	ECI-MULTI (Electronic Controlled Injection-Multi Point Injection)			
Fuel tank capacity	liters		7	75			75			
Drive system										
Туре		Easy Se	elect 4WD		_		_			
Transmission										
Туре			5-speed	l manual		5-speed manual				
Steering										
Туре			Rack-and-pinion	n, power assisted		Rack-and-pinion, power assisted				
Suspensions										
Front			Wishbone,	Wishbone, coil springs						
Rear			Elliptic le	Elliptic leaf springs						
Brakes										
Front	16-inch ventilated disc brakes			15-inch ventila	ated disc brakes	15-inch ventilated disc brakes				
Rear		11.6-inch leading-and	l-trailing drum brakes	10-inch leading-and-	trailing drum brakes	10-inch leading-and-trailing drum brakes				
Tires and wheels										
Tires (front and rear)	205R16C 8PR			195R ²	15C 8PR	195R15C 8PR				

^{*} Measured by Mitsubishi Motors Corporation

Note: These specifications are subject to change without notice. Please consult your local Mitsubishi Motors dealer/distributor for detailed specifications.