



DIMENSIONAL VIEWS

Double Cab (4WD/2WD Hi-Rider)




*1 Overall width: 1815mm for GLS, 1785mm for GLX/GL
 *2 Overall height: 1780mm for GLS, 1775mm for GLX/GL
 *3 Minimum ground clearance: 205mm for GLS, 200mm for GLX/GL


Double Cab (2WD)



Single Cab (4WD)



Single Cab (2WD)



All measurements in millimeters



MiEV Facebook Page

This facebook page introduces latest MiEV (Mitsubishi innovative Electric Vehicle) activities, hot news, and voice from fans and owners. The MiEV supporters mark represents the fans who support and participate in MiEV activities, so join the club to be a part of the fun and excitement. Check us out on facebook on the right.



www.facebook.com/iMiEV.official



MITSUBISHI MOTORS
www.mitsubishi-motors.com

©2015 – 2016 Mitsubishi Motors Corporation. All rights reserved.
 Ge/E32C205L-Mar.15T Printed in Japan

L200



www.new-l200triton.com



MITSUBISHI
 MOTORS
 Drive@earth

THE SPORT TRUCK L200



Left: 4WD GLS Double Cab with optional equipment / Earth Green Metallic [F27]
Right: 4WD GLS Double Cab with optional equipment / Sterling Silver Metallic [U25]

A Stylish Show of Strength. MITSUBISHI L200

Feel the power. Feel the handling.
Feel a new level of comfort in an entirely new class of vehicle.
The all new MITSUBISHI L200, it's all truck and all car and it changes the way you think about getting from one place to another.



LED daytime running light



Outstanding aerodynamic performance

The new L200 is streamlined based on advanced computer simulation to slip through the wind with a class-leading 0.42* Cd that lowers noise and raises fuel efficiency while enhancing both acceleration and handling stability.

* According to internal test results.



4WD GLS Double Cab shown with optional equipment / Leather interior




4WD GLS Double Cab shown with optional equipment / Leather interior

Wide Open Spaces

Travel comfortably in the L200 Double Cab, which offers class-leading space and leg-stretching relaxation. Enhanced high-quality seating, including newly designed front seats, raises driving pleasure for all occupants. Strategically placed sound insulation and vibration damping material further contribute to a quiet, comfortable ride. Everything you need, including convenient storage features, is here to support a pleasurable journey.


Class-leading cabin length



Luxurious new front seats



Quieter, more relaxing ride



- 1 Instrument panel sound absorbing material
- 2 Floor damping material
- 3 Dashboard and fender noise insulation
- 4 Backbone sound absorbing material

* Equipment may vary by models.

Note: Equipment may vary by market. Please consult your local Mitsubishi Motors dealer/distributor for details.

Dynamic Power

Power is supplied in abundance whenever you need it, from your choice of one gasoline and four diesel engines, including a 2.5-liter powerhouse that generates an impressive 131kW/4000rpm. Whatever the driving conditions, the L200 has what it takes to accomplish your mission.



Power-boosting features give L200 DI-D engines incredible performance

2.5-liter 16-valve Intercooled Turbocharged DOHC Common Rail DI-D High Power

Four turbocharged diesel engines, including three with intercoolers, deliver the spirited response you need for serious work and play. Their common rail direct injection system optimizes fuel dispersion for peak efficiency, low emissions and power on demand.

400 N·m




DOHC 16-valve layout

Dual overhead camshafts and 16 cylinder valves deliver extremely high performance by optimizing fuel intake, combustion and exhaust. Precisely balanced roller rocker arms and scissor gears also fine-tune valve timing to achieve more complete combustion.




Turbocharger


A turbocharger forces more air into the combustion chambers to significantly boost power. An intercooler optimally cools the air to further improve combustion efficiency.




2.5-liter Turbocharged DOHC DI-D (81kW/4000rpm)



2.5-liter Intercooled Turbocharged DOHC DI-D (94kW/4000rpm)



2.5-liter Intercooled Turbocharged DOHC DI-D Standard (100kW/4000rpm)



2.5-liter Intercooled Turbocharged DOHC DI-D High power (131kW/4000rpm)

2.4-liter SOHC 16-valve MPI

Whether hauling heavy loads or opening up on the highway, the 2.4-liter SOHC engine supplies more than ample horsepower and torque with low noise and vibration.



Paddle shifters

Sporty paddle shifters let you shift gears with a press — without removing your hand from the steering wheel.



5-speed automatic transmission with Sports Mode

To enjoy driving ease without sacrificing sportiness, choose the smooth-shifting 5-speed automatic transmission. Its Sports Mode lets you shift up or down with a flick of the lever for sporty, manual-like driving pleasure.



5-speed manual transmission

For a feeling of total control that many enthusiasts demand, choose the 5-speed manual transmission. Its solid stick shift provides smooth, sure operation so you can confidently and intuitively coax out maximum performance.




4WD GLS Double Cab with optional equipment / Sterling Silver Metallic [U25]

Note: Equipment may vary by market. Please consult your local Mitsubishi Motors dealer/distributor for details.



All-terrain confidence

Because challenges come in all shapes and sizes, the L200 is designed to climb up, over, around and through the toughest terrain.



Drivability is improved, both on and off the road. Forward visibility has also been improved through refinements to the hood and wipers. Indicated angles are valid when 265/70R16 tires are mounted. When the optional rear bumper and side steps are included, the ramp breakover angle is 25° and the departure angle is 22° (stylish-type rear bumper) or 23° (chrome-type rear bumper).

Robust Handling

The L200 is built for maximum stability and traction. Its rugged frame contributes to solid handling and its body is aerodynamically contoured for stable highway performance. Reliable 4WD traction combines with an advanced suspension to keep you in touch with surface conditions so you stay in firm control.

SUPER SELECT 4WD-II

Using the drive mode selector dial, you can switch between 2WD (2H), and 4WD (4H, 4HLc) with shift-on-the-fly convenience at up to 100km/h. When the going gets rough, lock the center differential by entering the 4HLc setting for rugged terrain or the 4LLc setting for inclines, mud and snow.


Note: The vehicle must be stopped while switching between 4HLc and 4LLc.

2H	4H	4HLc	4LLc
For normal road conditions	For rough roads and hazardous conditions	For rugged terrain with low-grip surfaces	For steep hills, mud, sand, deep snow, etc.


EASY SELECT 4WD

Switch from smooth 2WD (2H) highway performance to rugged 4WD (4H) traction while driving at up to 100km/h. Transfer torque to all four wheels with a flick of the drive mode selector dial in the 4H mode or by entering the 4L mode, which provides lower gear ratios and higher torque for slower speed driving in rough terrain.

Note: Equipment may vary by market. Please consult your local Mitsubishi Motors dealer/distributor for details.




Without LSD



With LSD

Hybrid LSD

The hybrid-type Limited Slip Differential combines torque-sensing helical gears with speed-sensing viscous coupling to maintain excellent traction on slippery and rugged surfaces. An internal clutch escape mechanism also prevents loss of torque if a wheel starts spinning. Hybrid LSD works with ABS to enhance driving safety.



Class-leading 5.7m turning radius

The turning radius is surprisingly small for a vehicle of this size, making the L200 especially easy to park and maneuver.

* 2WD: 5.7 meters, 4WD: 5.9 meters, 2WD Hi-Rider: 5.9 meters

Quick, responsive handling

Steering is sporty and responsive, requiring less effort to turn.

Tough for work. Stylish for pleasure.

The muscular L200 is built tough to handle whatever work challenges come your way. Its ample storage capacity and durability are matched by handsome styling and spacious comfort that your traveling companions will appreciate. Streamlined styling also contributes to class-leading aerodynamics and a smooth, quiet ride.



4WD GL Single Cab with optional equipment / Titanium Gray Metallic [U17]

Room to spare


The stylish L200 never forgets its true calling. When you're hard at work, it provides all the space and tough reliability you need. The spacious cargo bed is also solidly reinforced to offer outstanding durability.



Double Cab




Single Cab



Double wishbone suspension

The rugged suspension features double wishbones with coil springs and a stabilizer bar in front, plus no-nonsense above-the-axle leaf springs in the rear for outstanding traction. The ride is stable and comfortable for all occupants.

Durable design



In front, a more rigid engine compartment and double striker in the hood safety mechanism contribute to enhanced durability and safety. In the cargo bed, the rear corners are specially reinforced to disperse the force of impact when cargo shifts and prevent damage such as cracks in the side panels.


Robust construction



More rigid engine compartment



Reinforced rear corners



Hood safety mechanism with double striker




Cargo bed inner hook x 6



Multipurpose cargo bed outer hooks


Note: Equipment may vary by market. Please consult your local Mitsubishi Motors dealer/distributor for details.

Convenience



Audio System with 6.1-inch Full-color Display
The L200 now features a display with 6.1-inch full-color touch screen. In addition to giving you full control over a wide range of audio options, the display also links to the rearview camera.

- 1 Easy-to-select menu**
The intuitive interface makes selecting functions safe and easy.
- 2 Rearview camera**
Safely navigate into even tight parking spaces.
- 3 USB connectivity**
Select music directly from your portable player.
- 4 Hands-free Bluetooth® telephone**
Incoming calls are displayed for easy viewing.



Tilt & telescopic steering



Multi-information display



Dual-zone automatic air conditioner



Keyless Operation System



Engine switch

Keyless operation system
While carrying the key, you can press a button on the outside of either front door to lock or unlock all the doors, or press the engine switch in the cockpit to start the engine.

ETACS (Electronic Time and Alarm Control System)



Power window timer
Even after shutting off the engine, the power windows can be opened or closed for 30 seconds before opening the door.



Headlamp auto off function
After switching off the ignition and stepping out of the car, the headlamps automatically turn off to help conserve battery power.



Auto door relock system
Within 30 seconds of pressing the unlock button from outside the car, this system will automatically relock all the doors if none have been opened.




Auto speed adjustable wipers
In the Timing mode, the window wipers operate faster at higher vehicle speeds.

Safety

RISE body
Collision safety performance is significantly enhanced by Mitsubishi's RISE (Reinforced Impact Safety Evolution) body, which efficiently absorbs energy and maintains high cabin integrity in the event of a collision.

Rigid lightweight body



The body is extremely sturdy and lightweight, thanks to the generous use of high tensile strength steel plates that also contribute to a high level of collision safety.



7 SRS airbags
In the event of a collision, seven SRS airbags help protect you and your passengers by absorbing the force of impact. The system includes front airbags, front side airbags, curtain airbags and a driver's knee airbag. (Optional on GLS)




Double pretensioner (Driver's seat)

Pretensioners
Pretensioners on the front seatbelts automatically tighten the belts in the event of a frontal collision to help restrain the driver and front passenger and reduce the force of impact when the front airbags are deployed. (Single pretensioner optional for driver and front passenger. Double pretensioner optional for driver on GLS)



Immobilizer
The engine can only be started when a dedicated key with matching authentication code is used. This advanced security system effectively prevents vehicle theft.



ABS with EBD
The L200's ABS gives you the ability to suddenly maneuver safely around obstacles as you slow down. EBD (Electronic Brake-force Distribution) assists by applying additional force to the rear brakes as needed, enabling quicker stops even when carrying passengers and heavy loads.



Power windows
The driver's side window can be raised or lowered with a single touch and features an anti-trap mechanism for safety.

Double Cab GLS (4WD)

Available engines: 2.5-liter intercooled turbocharged DI-D High Power,
2.5-liter intercooled turbocharged DI-D Standard

Sportero



Double Cab GLX (4WD)

Available engine: 2.5-liter intercooled turbocharged DI-D Standard



Double Cab GLX (2WD Hi-Rider)

Available engines: 2.5-liter intercooled turbocharged DI-D High Power,
2.5-liter intercooled turbocharged DI-D Standard



Double Cab GL (2WD/4WD)

Available engine: 2.4-liter ECI-MULTI, 2.5-liter turbocharged DI-D



Single Cab GL (2WD/4WD)

Available engines: 2.4-liter ECI-MULTI (2WD only), 2.5-liter turbocharged DI-D (2WD/4WD),
2.5-liter intercooled turbocharged DI-D (2WD only)



EXTERIOR COLORS



Grayish Brown Metallic (C06)



Impulse Blue Metallic (D23)



Earth Green Metallic (F27)



Red Solid (R59)



Titanium Gray Metallic (U17)



Sterling Silver Metallic (U25)



White Solid (W32)




White Pearl (W54)




Black Mica (X08)


SEAT MATERIALS AND COLORS




Leather (black)



High grade fabric (dark gray)



Fabric B (dark gray)



Fabric A (light gray)



Vinyl (gray)

EXTERIOR AND INTERIOR COLOR COMBINATIONS

Grade		■ Standard □ Optional — Not available			
		Double cab			Single cab
		GLS	GLX	GL	GL
Seat materials and colors	Black leather	□	—	—	—
	Gray high grade fabric	■	—	—	—
	Dark gray fabric	—	□	□	□
	Light gray fabric	—	■	□	□
	Gray vinyl	—	—	■	■
Exterior colors	Grayish Brown Metallic	C06	■	■	■
	Impulse Blue Metallic	D23	■	■	■
	Earth Green Metallic	F27	■	■	■
	Red Solid	R59	■	■	■
	Titanium Gray Metallic	U17	■	■	■
	Sterling Silver Metallic	U25	■	■	■
	White Solid	W32	■	■	■
	White Pearl	W54	■	■	—
	Black Mica	X08	■	■	■

Note: Colors shown may differ slightly from actual colors due to printing process. Please consult your local Mitsubishi Motors dealer/distributor for actual colors.

Note: Equipment may vary by market. Please consult your local Mitsubishi Motors dealer/distributor for details.

STANDARD EQUIPMENT AND OPTIONS



- 1 17-inch alloy wheel with 245/65R17 tire
- 2 16-inch alloy wheel with 245/70R16 tire
16-inch alloy wheel with 265/70R16 tire
- 3 16-inch alloy wheel with 205R16C 8PR tire
- 4 15-inch alloy wheel with 195R15C 8PR tire



Chrome grille



Chrome outer door handles

Chrome rear gate handle



Chrome power door mirrors with side turn lamp



Front fog lamp with black bezel




Wide titanium gray fender



Rear body guard



“MITSUBISHI” decal on rear gate



1 Pipe-type side step

2 Plate-type side step



Chrome rear step bumper

Genuine accessories



Note: Actual accessories may vary from those shown or change without notice. Available accessories may vary by market.

STANDARD & OPTIONAL EQUIPMENT

■ Standard □ Optional — Not available

Model		Body type		Double cab												Single cab						
		Drive system		4WD								2WD Hi-Rider				2WD GL		4WD		2WD		
		Trim level / Grade		GLS				GLX		GL		GLX										
		Transmission		5A/T	5M/T	5A/T	5M/T	5M/T	5M/T	5A/T	5M/T	5M/T	5M/T	5M/T	5M/T	5M/T	5M/T	5M/T	5M/T			
		Engine		2.5L IC T/C Di(HP)		2.5L IC T/C Di(ST)		2.5L IC T/C Di(ST)		2.5L T/C Di		2.4L MPI	2.5L IC T/C Di(HP)		2.5L IC T/C Di(ST)		2.5L T/C Di	2.4L MPI	2.5L T/C Di	2.5L T/C Di	2.5L T/C Di	2.4L MPI
Model code		KL3TJY HFPL	KL3TJN HFPL	KL3TJ YHFL	KL3TJ NHFL	KL3TJ NUFL	KL3TJ NJTL	KL4TJ NJML	KK3TJ YUFL	KK3TJ NUFL	KJ3TJ NJTL	KJ4TJ NJMLW	KL3TE NJTL	KJ3TE NJFL	KJ3TE NJTL	KJ4TE NJMLW						
Drivetrain and chassis	Drivetrain	5-speed manual transmission	—	■	—	■	■	—	■	—	■	—	■	■	—	■	■	■	■	■	■	
		5-speed automatic transmission	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Sports mode (4-position + manual mode) with electric shift lock and key interlock	■	—	■	—	—	—	—	■	—	—	—	—	—	—	—	—	—	—	—	
		2WD	—	—	—	—	—	—	—	—	■	■	■	—	—	—	—	■	■	■	■	
		Super Select 4WD-II	■	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Easy Select 4WD	□	■	■	■	■	■	■	—	—	—	—	—	—	—	—	■	—	—	—	
		Immobilizer (master key x 2 with protector)	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	
	Suspension and differential	Heavy duty suspension	—	—	—	—	□	□	■	□	□	□	■	■	■	■	■	■	■	■	■	
		Comfort suspension	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	
		Front stabilizer	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	
		Limited-slip differential (mechanical type)	—	—	—	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	
		Limited-slip differential (hybrid type)	□	□	□	□	□	□	—	□	□	□	—	—	—	—	—	—	—	—	—	
	Brakes	LSPV (Load Sensing Proportioning Valve)	—	■	—	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
		ABS (Anti-lock Braking System) with EBD (Electronic Brake-force Distribution)	■	□	■	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	
		Front 15-inch ventilated disc	■	—	—	—	—	—	—	—	—	—	■	■	■	■	■	■	■	■	■	
		16-inch ventilated disc	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	
		Rear 10-inch leading-and-trailing drum	—	—	—	—	—	—	—	—	—	■	■	■	■	■	■	■	■	■	■	
		11.6-inch leading-and-trailing drum	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	
	Tires and wheels	Front & Rear: 195R15C 8PR tires with 15-inch steel wheels (chrome center caps)	—	—	—	—	—	—	—	—	—	—	■	■	■	■	■	■	■	■	■	
		Spare: 195R15C 8PR + 15-inch steel wheel	—	—	—	—	—	—	—	—	—	—	■	■	■	■	■	■	■	■	■	
		Front & Rear: 205R16C 8PR tires with 16-inch steel wheels (chrome center caps)	—	—	—	—	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	
		Spare: 205R16C 8PR + 16-inch steel wheel	—	—	—	—	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	
		Front & Rear: 205R16C 8PR tires with 16-inch alloy wheels	—	—	—	—	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	
		Spare: 205R16C 8PR + 16-inch steel wheel	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Front & Rear: 245/70R16 tires with 16-inch alloy wheels	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	
		Spare: 245/70R16 + 16-inch steel wheel	—	—	—	—	—	—	—	—	□	□	—	—	—	—	—	—	—	—	—	
		Front & Rear: 265/70R16 tires (mud & snow) + 16-inch alloy wheels	□	□	□	□	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Spare: 265/70R16 (mud & snow) + 16-inch alloy wheel	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Exterior	Front & Rear: 245/65R17 tires with 17-inch alloy wheels	□	□	□	□	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Spare: 245/65R17 + 17-inch alloy wheel	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		Grille	Front grille: material black (type A)	—	—	—	—	■	■	■	■	■	■	■	■	■	■	■	■	■	■	
		Chrome Package	Front grille: chrome (type B)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			Chrome power door mirrors	—	■	—	■	—	□	—	—	—	—	—	—	—	—	—	—	—	—	
			Chrome outer door handles	■	—	■	—	□	—	□	—	□	—	□	—	□	—	□	—	□	—	
			Chrome rear gate handle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Bumpers		Front bumper: material black Under garnish: material black	—	—	—	—	—	■	■	■	■	—	■	■	■	■	■	■	■	■	■	
		Front bumper: color-keyed Under garnish: material black	—	—	—	—	—	■	■	■	■	—	■	■	■	■	■	■	■	■	■	
		Front bumper: color-keyed Under garnish: silver paint	■	—	■	■	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Lamps	Halogen headlamp with amber upper accent and material black bezel (type A)	—	■	—	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
	Halogen headlamp with frost upper accent and chrome plated bezel (type B)	■	■	■	■	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	HID headlamps with LED daytime running lights & manual leveling device (type C)	□	□	□	□	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Auto lighting control and auto rain-sensing variable intermittent windshield wipers	□	□	□	□	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Front fog lamps with material black bezel	—	—	—	—	□	□	□	□	□	□	□	—	□	□	□	□	□	□	—		
Front Other	Front fog lamps with silver painted bezel	□	□	□	□	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Front skid plate	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
	Floor under cover	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
	Reinforced front skid plate and floor undercover	□	□	□	□	□	□	□	□	□	□	—	□	—	□	—	□	—	□	—		
	Front towing hook	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
Glass	Laminated green windshield	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
	Windshield sunshade	■	■	■	■	—	—	—	—	—	—	—	—	—	—	—	—	—	—	■		
	Rear window with defogger (with timer)	■	■	■	■	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□		
	Privacy glass	□	□	□	□	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Sides	Side steps: plate-type	□	□	□	□	□	□	□	□	□	□	□	—	—	—	—	—	—	—	—	
	Side steps: pipe-type	□	□	□	□	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Front mudguards	■	■	■	■	■	■	■	■	□	□	—	—	—	—	—	—	—	—	—		
	Rear mudguards	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
	Wide fender: color-keyed (for monotone exterior)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Wide fender: titanium gray (for two-tone exterior)	□	□	□	□	□	□	—	—	□	□	—	—	—	—	—	—	—	—	—		
	Outer door handle: material black	—	—	—	—	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
	Manual door mirrors: material black	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Side turn lamp on door mirror with power folding function	□	□	□	□	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Black door sashes	■	■	■	■	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Rear/Cargo	Rear body guard frame	—	—	—	—	□	□	□	□	□	□	■	■	■	■	■	■	■	■	■		
	Bar-type cargo bed outer hooks	—	□	—	—	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□		
	Cargo bed inner hook x 6	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
	Rear gate handle: material black	—	—	—	—	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
	High-mount stop lamp on rear gate	—	■	■	■	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□		
	Gate stopper (link type)	—	—	—	—	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
	Gate stopper (wire type)	■	■	■	■	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Step bumper (stylish type)	□	□	□	□	□	□	—	—	□	□	—	—	—	—	—	—	—	—	—		
	Step bumper (chrome type)	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□		
	Rear towing hook	□	□	□	□	□	□	□	□	□	□	—	—	—	□	—	—	—	—	—		
	Cargo bed and rear mud guards removed	—	—	—	—	□	□	—	—	—	—	—	—	—	—	—	□	□	—	—		
Interior	Ornament	"MITSUBISHI" decal	□	□	□	□	—	—	—	—	□	□	□	□	□	□	□	□	□	□		
		Side stripes	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□		
	Instrument Panel	Instrument panel center panel - Material black	—	—	—	—	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
		Instrument panel air outlet surrounding - Material black	—	—	—	—	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	
	Interior upgrade package	Center panel: piano black	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Air outlet with silver garnish	■	■	■	■	□	—	—	□	□	—	—	—	—	—	—	—	—	—	—		
	Inner door handles: chrome	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Safety	Driver's and front passenger's SRS front airbag	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Front 3-point ELR seatbelt with force-limiter and pretensioner (driver and passenger)	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□		
	Driver's and front passenger's SRS side airbags & SRS curtain airbags, driver's SRS knee airbag, assist grip (front passenger's side) and coat hanger (right rear passenger's side)	□	□	□	□	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Front 3-point ELR seatbelt with double pretensioner & force limiter (driver) and pretensioner & force limiter (passenger)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Seatbelt	Front 3P seatbelt with ELR x 2 & 2P center lapbelt	—	—	—	—	—	■	■	■	■	—	—	■	■	■	■	■	■	■	■	
	Front 3P seatbelt with ELR x 2	■																				

STANDARD & OPTIONAL EQUIPMENT

■ Standard □ Optional — Not available

Model		Double cab																Single cab					
		4WD								2WD				4WD				2WD					
		GLS				GLX		GL		GLX		2WD		GL		4WD		GL		2WD			
		5A/T		5M/T		5A/T		5M/T		5M/T		5A/T		5M/T		5M/T		5A/T		5M/T		5M/T	
		2.5L IC T/C DI(HP)		2.5L IC T/C DI(ST)		2.5L IC T/C DI(ST)		2.5L IC T/C DI(ST)		2.5L T/C DI		2.4L MPI		2.5L IC T/C DI(HP)		2.5L IC T/C DI(ST)		2.5L T/C DI		2.4L MPI		2.5L T/C DI	
Model code		KL3TJY HFPL	KL3TJN HFPL	KL3TJY YHFL	KL3TJN NHFL	KL3TJN NUFL	KL3TJY NJTL	KL4TJN NJML	KK3TJY YUFPL	KK3TJN NUFL	KJ3TJY NJTL	KJ4TJY NJMLW	KL3TE NJTL	KJ3TE NJFL	KJ3TE NJTL	KJ4TE NJMLW							
Interior	Steering & Shift knob	Power steering	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■						
		Tilt adjustment	—	—	—	—	■	■	■	■	■	■	■	■	■	■	■						
		Tilt and telescopic adjustment	■	■	■	■	■	■	—	—	—	—	—	—	—	—	—						
		3-spoke urethane steering wheel (with airbag)	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□						
	Carpet	3-spoke urethane steering wheel with steering switch (with airbag)	□	□	□	□	□	□	—	—	□	□	—	—	—	—	—						
		3-spoke leather-wrapped steering wheel with steering switch (with airbag)	□	□	□	□	□	—	—	□	□	—	—	—	—	—	—						
		Urethane transmission shift knob	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■						
		Urethane transfer shift knob	—	■	—	■	■	■	—	—	—	—	—	—	—	—	—						
		Leather wrapped transmission shift knob	□	□	□	□	□	—	—	□	□	—	—	—	—	—	—						
		Leather wrapped transfer shift knob	—	□	—	□	□	—	—	—	—	—	—	—	—	—	—						
		Drive mode selector dial	■	—	■	—	—	—	—	—	—	—	—	—	—	—	—						
		Paddle shifters*	□	—	□	—	—	—	—	—	—	—	—	—	—	—	—						
		Audio switch*	□	□	□	□	—	—	—	—	—	—	—	—	—	—	—						
		Hands-free phone system with audio controls and linked USB port*	□	□	□	□	—	—	—	—	—	—	—	—	—	—	—						
		Single horn	—	—	—	—	■	■	■	■	■	■	■	■	■	■	■						
		Dual horn	■	■	■	■	—	—	—	—	■	■	■	■	■	■	■						
		Seats	Vinyl	—	—	—	—	■	■	■	■	■	■	■	■	■	■	■					
			Vinyl seat	—	—	—	—	—	■	■	■	■	■	■	■	■	■	■					
	Fabric seats: light gray		—	—	—	—	—	□	□	□	□	□	□	□	□	□	□						
	Fabric seats: dark gray		—	—	—	—	□	□	□	□	□	□	□	□	□	□	□						
	Fabric seats: high grade		—	■	■	■	—	—	—	—	—	—	—	—	—	—	—						
	Leather seats (8-way power adjustable driver's seat)		□	□	□	□	—	—	—	—	—	—	—	—	—	—	—						
	Front		Front split low back bench seat	—	—	—	—	■	■	■	■	■	■	■	■	■	■	■					
			Front seat head restraint x 2	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■					
			Manual sliding and reclining adjuster (driver's side)	—	—	—	—	■	■	■	■	■	■	■	■	■	■	■					
			Manual sliding, reclining and height adjuster (driver's side)	■	■	■	■	□	—	—	—	—	—	□	—	—	—	—					
	Separate seat package		Convenience hook (driver's side)	■	■	■	■	■	■	■	■	■	■	■	—	—	—	—					
			Front sport type separate seats	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
			Manual sliding and reclining adjuster (passenger's side)	—	—	—	—	—	—	—	—	—	—	—	□	□	□	□					
			Convenience hook (passenger's side)	■	■	■	■	■	□	□	—	—	□	□	—	—	—	—					
	Rear	Front 3P seatbelt with ELR x 2	—	—	—	—	—	—	—	—	—	—	—	□	□	□	□						
		Needle punch floor carpets with heel pad	—	—	—	—	—	—	—	—	—	—	—	□	□	□	□						
		Rear low back bench seat	■	■	■	■	■	■	■	■	■	■	■	—	—	—	—						
		Rear seat head restraint x 2	■	■	■	■	■	■	■	■	■	■	■	—	—	—	—						
	Roof	Rear seat head restraint x 3	□	□	□	□	□	□	□	□	□	□	□	—	—	—	—						
		Rear center armrest (with cup holder)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—						
		Assist grip for front seat: x 1 (passenger's side)	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■						
		Assist grip for rear seat x 2	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■						
		Front pillar assist grip	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■						
		Coat hanger: x 1 (driver's rear side)	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■						
Driver's side sunvisor with ticket holder		■	■	■	■	■	■	■	■	■	■	■	■	■	■	■							
Passenger's side sunvisor		■	■	■	■	■	■	■	■	■	■	■	■	■	■	■							
Passenger's side sunvisor with vanity mirror with lid		■	■	■	■	■	■	■	■	■	■	■	■	■	■	■							
Day & night rear view mirror		■	■	■	■	■	■	■	■	■	■	■	■	■	■	■							
Front room lamp with map lamp and sunglass pocket		■	■	■	■	■	■	■	■	■	■	■	■	■	■	■							
Rear room lamp		■	■	■	■	■	■	■	■	■	■	■	■	■	■	■							
Door		Power window: auto down (driver's side)	—	—	—	—	□	□	□	□	□	□	□	□	□	□	□						
		Power window switch panel: interior color	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—						
	Power windows with anti-trapping and auto up and down for driver's seat	■	■	■	■	—	—	—	—	—	—	—	—	—	—	—							
	Power window switch panels: piano black with silver garnish	■	■	■	■	—	—	—	—	—	—	—	—	—	—	—							
Console	Door trim cloth insert	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
	Inner door handles: material color	■	■	■	■	—	—	—	—	—	—	—	—	—	—	—							
	Inner door handles: chrome	■	■	■	■	—	—	—	—	—	—	—	—	—	—	—							
	Ashtay on instrument panel	—	—	—	—	—	■	■	—	—	■	■	■	■	■	■							
	Floor console with lid	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
	- Cup holder for front seats	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
	- Can type ashtay	—	—	—	—	■	□	□	■	■	□	□	□	□	□	□							
	- 12V accessory socket in console box	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
	- Console trim: material black	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
	Floor console with lid	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
	- Cup holder for front seats	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
	- Can type ashtay	■	■	■	■	—	—	—	—	—	—	—	—	—	—	—							
	- 12V accessory socket in console box	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
	- Console trim: with silver accent for 4D56 MT models*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
- Console trim: with piano black panel & silver painted accent for 4D56 AT models*	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■								
Meter	Cigar lighter	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■							
	Glove box with key cylinder and illumination	■	■	■	■	—	—	—	—	—	—	—	—	—	—	—							
	Glove box damper	■	■	■	■	—	—	—	—	—	—	—	—	—	—	—							
	Digital quartz clock	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□							
Functional	Combination meter cluster with material black garnish (speed & tachometer)	—	—	—	—	■	■	■	■	■	■	■	■	■	■	■							
	Combination meter cluster with silver painted garnish (speed & tachometer)	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■							
	Multi information display: amber type	—	—	—	—	■	■	■	■	■	■	■	■	■	■	■							
	Multi information display: black type	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■							
Ventilation	Rheostat	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■							
	Center door locking system	■	■	■	■	□	□	□	□	□	□	□	□	□	□	□							
	Child-proof rear door locks	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■							
	Master key x 2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
	Master key x 2 (with protector x 1)	—	■	■	■	■	■	■	■	■	■	■	■	■	■	■							
	Keyless entry system x 2 (with protector x 2)	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□							
	Keyless Operation System with engine start switch	□	□	□	□	—	—	—	—	—	—	—	—	—	—	—							
	Igniton key cylinder with illumination	■	■	■	■	—	—	—	■	■	—	—	—	—	—	—							
	Rear view camera	□	□	□	□	—	—	—	—	—	—	—	—	—	—	—							
	Front variable intermittent windshield wipers with washers	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■							
	Cruise Control	■	■	□	□	□	—	—	□	□	—	—	—	—	—	—							
	Seat belt warning lamp (driver's side) & buzzer / Speed warning indicator / Ignition key reminder	—	—	—	—	—	—	—	—	—	—	■	—	—	—	■							
	Audio	Heater	—	—	—	—	■	■	■	■	■	■	■	■	■	■	■						
		Manual air conditioning	—	—	—	—	□	□	□	□	□	□	□	□	□	□	□						
Air conditioning with extra cooling capacity		□	□	□	□	□	□	□	□	□	□	□	□	□	□	□							
Automatic air conditioning		■	■	■	■	—	—	—	—	—	—	—	—	—	—	—							
Audio	Dual-zone automatic air conditioning	□	□	□	□	—	—	—	—	—	—	—	—	—	—	—							
	Air filter	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□							
	Windshield & side defroster	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■							
	Audio less (instrument panel accessory box (1DIN) with lid)	—	—	—	—	■	■	■	■	■	■	■	■	■	■	■							
	Wide 2DIN AM/FM CD player	—	—	—	—	□	□	□	□	□	□	□	□	□	□	□							
	Wide 2DIN AM/FM CD display audio	□	□	□	□	—	—	—	—	—	—	—	—	—	—	—							
	2 speakers	—	—	—	—	■	■	■	■	■	■	■	■	■	■	■							
	4 speakers	■	■	■	■	□	□	□	□	□	□	□	□	□	□	□							
	4 speakers with 2 tweeters	□	□	□	□	—	—	—	—	—	—	—	—	—	—	—							
	USB port	□	□	□	□	□	□	□	□	□	□	□	□	□	□	□							
Pillar antenna	—	—	—	—	■	■	■	■	■	■	■	■	■	■	■								
Roof antenna	■	■	■	■	—	—	—	—	—	—	—	—	—	—	—								

**** Separate seat package**

Note: Equipment may vary by market. Please consult your local Mitsubishi Motors dealer/distributor for details.

TECHNICAL SPECIFICATIONS

Model	Body type	Double cab										Single cab					
	Drive system	4WD						2WD Hi-Rider		2WD		4WD	2WD				
	Engine	2.5 IC/TC DI-D High power		2.5 IC/TC DI-D		2.5 IC/TC DI-D	2.5 TC DI-D	2.4 MPI	2.5 IC/TC DI-D High power	2.5 IC/TC DI-D	2.5 TC DI-D	2.4 MPI	2.5 TC DI-D	2.5 IC/TC DI-D	2.5 TC DI-D	2.4 MPI	
	Price class	GLS				GLX	GL		GLX		GL		GL				
	Model code	KL3TJYHFPL	KL3TJNHFPL	KL3TJYHFL	KL3TJNHFL	KL3TJNUFL	KL3TJNJTL	KL4TJNJML	KK3TJYUFPL	KK3TJNUFL	KJ3TJNJTL	KJ4TJNJMLW	KL3TENJTL	KJ3TENJFL	KJ3TENJTL	KJ4TENJMLW	
Dimensions and weights																	
Overall length	mm	5200										5075					
Overall width	mm	1815				1785						1785					
Overall height	mm	1780				1775					1655		1780	1655			
Wheelbase	mm	3000										3000					
Ground clearance	mm	205 (205*1/220*2/205*3/220*4)		205 (212*1/225*2/212*3/220*4)		200 (207*1)	200 (212*1)		200			200 (212*1)	200				
Cargo floor height	mm	850				845				715		845	710				
Curb weight	kg	1850	1835	1830	1820	1805	1775	1690	1735	1705	1590	1510	1690	1505	1500	1410	
Gross vehicle weight	kg	2900	2870	2850		2850		2760	2760		2570	2525	2760	2570			
Seating capacity	persons	5				6		5		6		3					
Performance																	
Max. speed*	km/h	175	179	165	167		147	161	169	167	152	169	147	165	152	169	
Min. turning radius	m	5.9										5.7		5.9	5.7		
Engine																	
Type (code)		2.5-liter 16-valve inline-4 intercooled turbocharged DOHC diesel High Power (4D56)		2.5-liter 16-valve inline-4 intercooled turbocharged DOHC diesel Standard (4D56)			2.5-liter 16-valve inline-4 turbocharged DOHC diesel (4D56)	2.4-liter 16-valve inline-4 SOHC (4G64)	2.5 liter 16-valve inline-4 intercooled turbocharged DOHC diesel High Power (4D56)	2.5 liter 16-valve inline-4 intercooled turbocharged DOHC diesel Standard (4D56)	2.5 liter 16-valve inline-4 turbocharged DOHC diesel (4D56)	2.4-liter 16-valve inline-4 SOHC (4G64)	2.5 liter 16-valve inline-4 turbocharged DOHC diesel (4D56)	2.5 liter 16-valve inline-4 turbocharged DOHC diesel (4D56)	2.5 liter 16-valve inline-4 turbocharged DOHC diesel (4D56)	2.4-liter 16-valve inline-4 SOHC (4G64)	
Displacement	cc	2,477						2,351	2,477			2,351	2,477			2,351	
Max. output (EEC net)	kW (PS)/rpm	131 (178)/4,000		100 (136)/4,000			81 (110)/4,000	97 (132)/5,250	131 (178)/4,000	100 (136)/4,000	81 (110)/4,000	97 (132)/5,250	81 (110)/4,000	94 (128)/4,000	81 (110)/4,000	97 (132)/5,250	
Max. torque (EEC net)	N-m (kg-m)/rpm	400 (40.8)/2,000		324 (33.1)/2,000			200 (20.4)/1,500-3,500	202 (20.6)/4,000	400 (40.8)/2,000	324 (33.1)/2,000	200 (20.4)/1,500-3,500	202 (20.6)/4,000	200 (20.4)/1,500-3,500	240 (24.5)/1,500-3,500	200 (20.4)/1,500-3,500	202 (20.6)/4,000	
Fuel System																	
Fuel supply system		Electronic Commom Rail direct injection						ECI-MULTI (Electronic Controlled Injection-Multi Point Injection)	Electronic Commom Rail direct injection			ECI-MULTI (Electronic Controlled Injection-Multi Point Injection)	Electronic Common Rail direct injection			ECI-MULTI (Electronic Controlled Injection-Multi Point Injection)	
Fuel tank capacity	litres	75										75					
Drive system																	
Type		Super Select 4WD-II	Easy Select 4WD						2WD			Easy Select 4WD	2WD				
Transmission																	
Type		5-speed automatic with Sports Mode	5-speed manual	5-speed automatic with Sports Mode	5-speed manual				5-speed automatic with Sports Mode	5-speed manual		5-speed manual					
Steering																	
Type		Rack-and-pinion, power assisted															
Suspensions																	
Front		Wishbone, coil springs															
Rear		Elliptic leaf, springs															
Brakes																	
Front		16-inch ventilated disc brakes								15-inch ventilated disc brakes		16-inch ventilated disc brakes	15-inch ventilated disc brakes				
Rear		11.6-inch leading-and-trailing drums								10-inch leading-and-trailing drums		11.6-inch leading-and-trailing drums	10-inch leading-and-trailing drums				
Tyres and wheels																	
Tyres (front and rear)	Standard	245/70R16				205R16C 8PR			205R16C 8PR		195R15C 8PR		205R16C 8PR	195R15C 8PR			

*1 Model with reinforced front skid plate and floor undercover

*2 Model with reinforced front skid plate and floor undercover + 265/70R16 tires

*3 Model with reinforced front skid plate and floor undercover + 245/65R17 tires

*4 Model with floor undercover + 265/70R16 tires

* Measured by Mitsubishi Motors Corporation

Note: These specifications are subject to change without notice. Please consult your local Mitsubishi Motors dealer/distributor for detailed specifications.